General Inspection Report

RECEIVED 1

State of Illinois	JUN 1 6 1986
Dept. & Div. <u>Tec EPA - MPCP</u> Insp	ector Jan MARIO Date 6/5/80
Mine Name FIGELITY *// Mi	ne Company FREEMAN UNITED CONCENTION
IEPA M&M Permit No. 7.0000302 Permit N	
General Location 5 MILES WEST	OF DU QUOIN
Arrival Time // 30 Am Weather Conditions	
RECLAMATION TYPE (Check Appropriate Type) Mine Includes Prime Land Yes/ No Steep Slope Rule Applies Yes/ No Coal Preparation Yes/ No Not Applicable	Reason for Visit: ROUTINE Persons Contacted: GLEN HAMILTON - RECL. Sup.
PARAMETER CHECKLIST	
1. Availability of: A permits B Plans	
2. Imminent Danger to Public Health and Safet	y TEMPORARY REPORT
3. Significant Imminent Environmental Harm_	FINAL REPORT
4. Signs and Markers: A. mine entrance B. pe observance 1. 100' zone 2. 300' zone F. pe H. not applicable	rimeter C. blasting D. topsoil E. perimeter rmit area correlation G. not investigated
5. Disposal Spoil and Waste Material Outside 1. site capacity 2. covering 3. vegetation D. slope of site E. steep slope rules F. v 1. permit area 2. location near ridge top 5. steep slope rules 6. under drains 7. la 9. engineer inspection G. not investigated	B. within permit area C. site approved ralley fill or head of hollow fills: 3. fill design 4. fill construction teral drains 8. controlled placement
6. Soil Handling: A. removal before other di D. thickness E. root medium F. other overl H. root medium satisfactory for top soil r I. topsoil replaced J. grading current K. systems M. timely revegetation and mulching	urden G. toxic material handling eplacement (slope, thickness, texture) rills and gullies L. erosion control
7. Prime Land: A. prime land determination Edisturbance C. thickness removed D. approvistockpiles F. horizon replacement and thickness removed J. not applied H. grade not investigated J. not applied	ed horizon storage E. protection of kness G. protection of replaced horizons
2. structure 3 spillway 4. clean out 5. c (yes/ no) 6. seepage 7. structural we	and berms 3. system maintenance B. grading tal boreholes sediment ponds: 1. size over 20' high or over 20 acre feet storage akness discharge structure 9. chemical no G. discharge water quality H. buffer NPDES permits required / yes/ no

324308

Mine	Name	FICELITY	* //	
------	------	----------	------	--

- 9. Stream Channel or Other Water Diversion: (A) temporary or permanent B. size adequacy C. stability D. gradient E. grade stability F. suspended solids G. sediment control H. channel design I. erosion control structures J. fish and wildlife protection K. vegetation L. removal of temporary structures M. structure removal procedures N. not investigated O. not applicable
- 10. Road Hydrology: (A) culverts (B) ditches C. location choice D. grade E. stream closeness F. ditch relief drains G. outslope drains H. construction material toxic/non-toxic I. maintenance J. railroad spur hydrology K. vegetation L. not investigated M. not applicable
- 11. Impoundment Structures: A. M.H.S.A. construction observance B. coal waste in structure C. freeboard D. stability E. seepage F. engineer inspection G. dam marker H. maintenance I. ditch and spillways J. changes in geometry of structure (K) not investigated L. not applicable
- 12. Steep Slope Procedure: A. spoil on outslope B. debris C. highwall removal D. disturbance above highwall E. excess spoil F. instability of spoil and woody material G. not investigated not applicable
- 13. Preparation Facility (includes crushing and screening): water circuit 1. open system 2. closed system 3. no water circuit slurry impoundment 1. berm stability a.) seepage b.) vegetative cover c.) freeboard 2. acid producing potential C. not investigated D. not applicable
- 14. Domestic Wastewater Treatment Facilities: A. type of system 1. activated sludge package plant 2. lagoon sandfilters 3. septic tank w/sand filters 4. other B. sand filter maintenance 1. weeds 2. raking 3. sand replacement C. chlorination D. certified operator(E) not investigated F. not applicable

LEGEND: O = parameter inspected:

Ø = comment or question on the parameter

NOTE: Items circled were considered during this investigation. If nothing under a major item was investigated, circle either "not investigated" or "not applicable". Violation means violation or apparent violation.

NO VIOLATIONS FOUND

SEE ATTACHMENT

Indicated Parameter

Comments or Action Taken

Check Column		
No.	Vio-	Non-Vio-
	lation	lation
Comm Comm		·
6A		~
8AL		2
86		<u></u>
8K 8F3 8J		\rightarrow \right
85	Ī	L

Fidelity #11
Freeman United Coal Mining Co.
June 5, 1986

ATTACHMENT

General Comments: During this investigation, I was accompanied by Joyce Munie, MPCP Engineer from Springfield. Ms. Munie and I viewed the site so that Ms. Munie could become familiar with the site and specifically its drainageways.

5A: Ms. Munie and I observed the gob pile which is located in a final cut pit. When the pit is full of gob material, it will be covered with at least four feet of non-toxic soil material, graded, and seeded. The pit is approximately 1/3 full at this time therefore its longevity will last a couple more years before a new gob disposal area is utilized.

8A2: Along the south and southeastern section of the site, surface runoff water is collected in a series of drainage ditches which direct the water to a sedimentation pond with NPDES discharge number 006.

8R: Ms. Munie and I observed the pond at the southern end of the site which has had the discharge designations changed from 005 to 006 because of the change in the locations of the discharges and the mining plan. A large ditch was constructed on the northwest section of the pond which will receive effluent water from the pond. Stabilization of the ditch is not complete at this time however Glen Hamilton, Reclamation Supervisor, explained how the ditch would be stabilized which is expected to be completed this month.

8F3: It was not clearly discernible whether a spillway or other discharge structure actually now exists at discharge 006. The lack of a discharge structure does make it difficult to obtain a representative sample of water, however a representative sample of the effluent water can be obtained further on down the receiving ditch without much co-mingling of unaffected area surface runoff water.

Both NPDES discharge locations (002 and 006) had discharges during this visit. Discharge 006 was flowing at approximately 75 gallons per minute and discharge 002 was flowing at approximately 125 gallons per minute. At both discharges the water appeared clear, therefore no samples were obtained.

To the northeast side of the sedimentation pond designated as pond 006, a bucket wheel excavator and some bulldozers were operating. The machinery was causing a lot of dust and dirt to be airborne which was settling onto the pond creating a sort of scum on the water surface. I explained to Mr. Hamilton that the scum could not be discharged and that it would probably be a good idea to construct some rip-rap dams in the drainage ditch so as to help prevent the discharge of the scum. Mr. Hamilton concurred with the suggestion and stated that the rip-rap dams would be constructed.

8J: This site is permitted under NPDES permit IL0000302. Note: All DMR's have been submitted in accordance with permit conditions.

Gary L. Minton

Environmental Protection Specialist

GLM:mk/0029M/6-11-86

cc:MPCP/FOS/Marion IDMM